



Figure 1A



Reverse transcribed cDNA with GSP



ss cDNA purification






D-SLAP annealing and 2nd strand synthesis




PCR amplification of cDNA with
Gene specific primer and
Anchor primer spanning loop plus half stem

Figures 1B and 1C


B.

**D-CLAP1****D-CLAP2**

C.



Figures 2A, 2B, and 2C



Figures 2D and 2E

D.


1 2 3 4



Lane 1- ctl with EST
Lane 2- IFN- β with EST
Lane 3- ctl with C-ORF product
Lane 4- IFN- β with C-ORF product


E.

1 2 3




Lane 1- 1 kb ladder
Lane 2- RT-PCR R2/S8
Lane 3- RT-PCR R4/S8

Figure 3




Figures 4A and 4B

A.



Lane 1 & 6- 1 kb ladder
 Lane 2- mda-9
 Lane 3- fibronectin
 Lane 4- PCTA-1 (R1)
 Lane 5- PCTA-1 (pA)
 Lane 7- mda-5
 Lane 8- ISG-56


B.



Lane 1- 1 kb ladder
 Lane 2- fibronectin
 Lane 3- PCTA-1 (pA)
 Lane 4- mda-9
 Lane 5- ISG 56

002214022-112200

0000000000



Lane 4- GSP only